LAPORAN PRAKTIKUM BASIS DATA I

# IMPORT DATABASE DARI CSV



Oleh : Mariana A1317041

# PROGRAM STUDI TEKNIK INFORMATIKA POLITEKNIK NEGERI TANAH LAUT PELAIHARI 2018

### 1.1 Import data CSV

Berikut langkah-langkah dalam mengimport data manual database dari CSV:

1. Buka database yang sudah dibuat sebelumnya, pada phpmyAdmin.

🔬 localhost / 127.0.0.1 / sistem_p 🗙	+	
↔ ↔ ↔ ↔	🕕 localhost/phpmyadmin/#PMAURL-1:db_structure.php?db=sistem_permin 🥵 🚥 🗸 🔍 Search 👱 🕪 💆	
phpMuAdmin	😑 👘 Server. 127.0.1 - 👦 Database; sistem_permintaan_barang	~
<u>A</u> G90¢	📝 Structure 📳 SQL 🔍 Search 🎯 Query 🖨 Export 🚔 Import 🥓 Operations 💌 Privileges 🚷 Routines 🤥 Events 🕱 Triggers 👁 Tracking 🥰 Des	igner
Recent Favorites	Table Action Rows Type Collation Size Overhead	
- cdcol	Dearang 🖕 🗃 Browse 🕼 Structure 👁 Search 😹 insert 📾 Empty 🍙 Drop 🔹 innoDB latin1_swedish. ci 🕫 K15	
+La db_permintaan	Don permintaan 🖕 Browse 🖟 Structure & Search Belinsert 🖶 Empty 🐵 Drop 🌼 InnoDB latin1 swedish ci 🍕 K48	
information_schema	i jabatan ∲ Browse → Structure ⊛ Search ≩einsert ₩ Empty ⊕ Drop ° InnoDB latin1_swedish_ci 16 K±5	
🚛 🗃 mysql	Kelompok 🔄 Browse 🖗 Structure 🔹 Search 😹 Insert 🚍 Empty 😑 Drop 🔹 InnoDB latin1_swedish_ci 16 K18	
+ penerimaan	nomor_akun 👷 Browse M Structure 🖲 Search Seinsert 🗮 Empty 👄 Drop 🔹 InnoDB latin1_swedish_ci 16 K48	
permintaanbarang	□ pegawai 👷 Browse 🖟 Structure 🔹 Search Se Insert 🚟 Empty 👄 Drop 0 InnoDB latin1_swedish_ci 32 #38 -	
+ phpmyadmin	users 🚖 Browse M Structure 🚯 Search 😹 Insert 🗮 Empty 👄 Drop ° InnoDB latin1_swedish_ci 16 #18	
🚛 🗃 sipb	7 tables Sum <sup>0</sup> InnoDB latin1_swedish_ci 192 KLB 0 B	
sistem	Check All With selected: ✓	
sistem_permittan_barang	Print View 25 Data Dictionary  Create table  Name: Number of columns:	60
siswa Jene Si_permintaanbarang Hene test Hene webauth		0

 Buat file excel yang isinya sama dengan tabel pada database yang kita buat. Misal untuk tabel barang yang berisi kode barang, nama barang dan satuan, maka inputkan data-data barang tersebut dalam file excel seperti gambar berikut.

X	1 8 5	· ð· ;	2								use	ers - Excel	
	FILE	OME IN	SERT P/	AGE LAYOUT	FORMUL	AS D	ATA REVIE	W VI	EW				
ľ	Cut		Calibri	* 1	ĂĂ	= =	= %	🖹 Wra	p Text		Gener	al	*
Pa	iste 💉 Forr	oy ▼ mat Painter	BI	<u>u</u> •  ⊞ •	<u>ð</u> - <u>А</u> -	= =	≡ ∉ #	📑 Mer	ge & Center	•	\$ -	% *	.0 .00 00 →.0
	Clipboar	rd 15		Font	5		Align	ment		G.		Number	rs.
D	6	•	× v	$f_{x}$									
	A	в	С	D	E	F	G	н	E	J		К	L
1	username	password	hak_akse:	5									1
2	sulpandi	123	mandor										
3	syahril	234	mandor										
4	siti	345	admin										
5	catur	456	kepala_g	udang									
6													
7													
8													
9	2												
10													
11													
12													
13													
14													
15	1												

 Simpan file excel dengan nama file berekstensi ".csv". Kemudian pilih type "CSV Comma Delimeted".

Save As	Excel Workbook Excel Macro-Enabled Workbook
← → ~ ↑ 🗖	Excel Binary Workbook Excel 97-2003 Workbook
Organize 👻 Ne	XML Data Single File Web Page
This PC 📃 Desktop	web Page Excel Template Excel Macro-Enabled Template Excel 97-2003 Template Text (Tab delimited) Unicode Text
🕹 Downloads	XML Spreadsheet 2003 Microsoft Evel 5 0/95 Workbook
Music	CSV (Comma delimited)
Pictures	Formatted Tel (Space delimited)
Videos	Text (MS-DOS)
🟪 Local Disk (C:	CSV (Macintosh) CSV (MS-DOS)
👝 DATA (D:)	DIF (Data Interchange Format)
File name:	SYLK (Symbolic Link) Excel Add-In Excel 97-2003 Add-In DE
Save as type.	XPS Document
Authors:	Strict Open XML Spreadsheet OpenDocument Spreadsheet
∧ Hide Folders	Tools - Save Cancel

4. Buka tabel users pada database yang ingin diimport. Dapat dilihat pada gambar bahwa pada tabel users masih kosong belum ada data yang diinputkan. Untuk mengimport data, klik **import**.

localhost / 127.0.0.1 / sistem_p	+ - 0	
↔ ∀ ⊕	💿 localhost/phpmyadmin/#PMAURL-8sqLphp?db=sistem_permintaan_bar/ 🛛 (30%) 🚥 🛛 🏠 🔍 Search 💆 🕅 🖽	≡
phpMyAdmin	(Scross 127 00.1 ) Dektozer cistem perminten bereng (Telde User)     Browse (K Structure ) SQL (A Search ) in the perminten bereng (Structure ) Privileges (P Operations ) Tracking (Structure ) (Source	×
db_permintaan	RELACE - FROM 'usees'	
performance_schema     performance_schema     permintaanbarang     phpmyadmin	Query results operations Create PHP Code ] [R	efresh ]
sistem_permintaanbarang		-
New S barang batan kelompok nomor_akun kelompok kelompok souther kelompok kelompok kelompok kelompok kelompok kelompok kelompok		
si_permintaanbarang si_e test si_e webauth		

5. Pilih file yang ingin diimport tadi. Klik "browse", untuk mencari file yang ingin diimport.

ka localhost / 127.0.0.1 / sistem_p ×	+		
↔ ∀ ∅	🛈 localhost/phpmyadmin/#PMAURL-9:tbl_import.php?db=sistem_pern 🖪 🞯 hrv 🛡 🏠 🔍 Search	± 1	≡
PhpMyAdmin	Construction of the second secon		~ ^
performance_schema permintaanbarang phpmyadmin sistem sistem_permintaanbarang sistem_permintaanbarang	A compressed file's name must and/in, [formal[,compression]. Example:.exit.zip Browse your computer: Browse your computer: Partial Import: A know the interruption of an import in case the script detects it is close to the PHP timeout limit. ( <i>This might be a good way to import large files, however it can break transactions</i> .)		
- o New - o New - o hon_permintaan - o hon_permintaan - o honoper - o honoper	Skip this number of queries (for SQL) or lines (for other formats), starting from the first one:          0       0         Format:		
siswa si_permintaanbarang si_permintaanbarang si_permintaanbarang si_permintaanbarang si_permintaanbarang sigarang localhest/phpmyadmin/tbLimport.php1	SQL compatibility mode: NCHE v Do not use acro_puscaacus for Zero values		

6. Cari file user, klik open.

← → · · ↑ □ > Th	is PC > Desktop	5 ~	Search Desktop	م	
Organize 👻 New folde	er			= • 🔟 🕼	
ConeDrive	Name	D 20	ate modified 6-Jun-18 11:39 PM	Type Microsoft Excel C	^
Desktop	🕼 kelompok 🕼 nomor_akun	29	9-Jun-18 8:40 PM 6-Jun-18 11:12 PM	Microsoft Excel C Microsoft Excel C	
Documents Downloads	PhotoScape	20	6-Jun-18 11:54 PM 0-Sep-17 4:17 AM	Microsoft Excel C Shortcut	
Music Pictures	PowerPoint 2013  For surat b.ing	21	8-Nov-17 4:23 PM 2-May-18 9:51 PM	Shortcut Microsoft Word I	
📓 Videos 🏪 Local Disk (C:)	🥵 users	2	9-Jun-18 9:38 PM 1-Mar-18 2:42 PM	Microsoft Excel C Shortcut	
DATA (D:)	Windows 10 Update Assistant	21	8-Nov-17 4:23 PM	Shortcut	
	<	24	4-Dec-17 10:51 AM	snortcut	~
File na	ame: users	~	All Files	~	

7. Ketik "1" pada form "starting from the first one", untuk melewati satu kolom dari format excel.

A localhost / 127.0.0.1 / sistem_p ×	+		đ	9	×
(←) → ℃ @	🛈 localhost/phpmyadmin/#PMAURL-9:tbl_import.php?db=sistem_pern 🖪 🐲 🗠 😨 🏠 🔍 Search	$\underline{+}$	111	•	≡
phpMyAdmin					× ^
New Code C	Importing into the table "users"				
+ information_schema + mysql + penerimaan	File to Import: File may be compressed (galo, balo, 2.a)) or uncompressed.			-	
performance_schema     permintaanbarang     phpmyadmin	A compressed lines frame musc for un uponnaut (compression): Example .sa(Lp) Browse your computer: Browse users.csv (Max: 2,048k(B) Character set of the file: utf-8				
sistem	Partial Import				
Log Sistem_permintaan_barang	Allow the interruption of an import in case the script deteds it is close to the PHP threeut_limit. ( <i>This might be a good way to import large files, however it can break transactions.</i> ) Skip this number of queries (for SQL) or lines (for other formats), starting from the first one.				
i jabatan kelompok	Format:				
+ users	Note: If the file contains multiple tables, they will be combined into one.				
<ul> <li>siswa</li> <li>si_permintaanbarang</li> <li>test</li> <li>webauth</li> </ul>	Format-Specific Options:				
	Columns endosed with:				,

8. Pilih format "CSV" untuk mengimport dari CSV ke database.



#### 9. Klik GO



10. Ini menandakan bahwa proses import sudah berhasil.

🚴 localhost / 127.0.0.1 / sistem_p 🗙	+							
$\overleftarrow{\bullet} \times \overleftarrow{\bullet}$	localhost/phpmyadmin/import.php	E 90%	… ♥ ☆	Q. Search		¥ ∥\	1	Ξ
← → × ŵ phpMyAdmin A ⊕ ⊕ ⊕ Recent Favorites New Goto Goto Goto Performance_schema <p< th=""><th>Cealhost/phpmyadmin/import.php     Struct VZ/0015 Dickbosokstam promitikan ben     Browse VZ/0015 Dickbosokstam promitikan ben     Browse VX Structure Dick Solar S</th><th>(99%)      Ing = 1200-UESTS      Inset _ Export _ Inset *      I see affected DBHE DHTO -user* VI      (factor * VI*, VEPALa_postary / I</th><th>··· V 1</th><th>Q. Search Operations (*) Tracking (*) '234', 'mandes') i zev affecter</th><th>Triggers . <u>DISERS</u> 2010 'seers [Inline][Edi</th><th>¥ III\ VALUES</th><th>('siti')</th><th>ode]</th></p<>	Cealhost/phpmyadmin/import.php     Struct VZ/0015 Dickbosokstam promitikan ben     Browse VZ/0015 Dickbosokstam promitikan ben     Browse VX Structure Dick Solar S	(99%)      Ing = 1200-UESTS      Inset _ Export _ Inset *      I see affected DBHE DHTO -user* VI      (factor * VI*, VEPALa_postary / I	··· V 1	Q. Search Operations (*) Tracking (*) '234', 'mandes') i zev affecter	Triggers . <u>DISERS</u> 2010 'seers [Inline][Edi	¥ III\ VALUES	('siti')	ode]
sidem signermintanbarang est webauth								

11. Dapat dilihat hasilnya dengan klik "browse".

kan localhost / 127.0.0.1 / sistem_p 🗙	+	-	٥	$\times$
↔ ↔ ৫	① localhost/phpmyadmin/import.php#PMAURL-0:sql.php?db=sistern_	$\underline{+}$		) ≡
phpMuAdmin	🚽 👘 Server, 127.0.0.1 > 🕜 Database: sistem_permintaan_barang > 🌇 Table: users			~ ^
2 6 6 0 C	🔄 Browse 📡 Structure 🔐 SQL 🔍 Search 💱 Insert 🖨 Export 👜 Import 🥶 Privileges 🥜 Operations 👁 Tracking 端 Triggers			
Recent Favorites				
New	Showing rows 0 - 3 (4 total, Query took 0.0008 seconds.)			
+ db_permintaan				_
+ information_schema	SELECT * FROM 'Users'			
🚛 mysql	Profilia e Latina ME di U Svola in SOL 11 Orosto P		o 11 Rof	roch 1
+ penerimaan		ni cou	e II wei	0011
+permintaanbarang	Number of rows: 25 V Filter rows: Search this table			
+ phpmyadmin	Soft hu Key None			
(€_) sipb				
sistem	+ Options to the second that areas			
sistem_permintaan_barang	Edit 3- Copy ⊕ Delete catur 456 kepala oudang			
-B New	C → Edit 3 Copy @ Delete siti 345 admin			
+ barang	Cldt ≩€ Copy ⊜ Delete sulpandi 123 mandor			
iabatan	Contraction of the system of			
kelompok	← Check All With selected:  Change  Delete  Export			
+ pegawai	Numberofrows: 25 V Filterrows: Search this table			
+L_ siswa	Query results operations			
si_permintaanbarang	Print view (with full texts) Export Display chart Create view			
+ webauth				
	Bookmark this SQL query			

### 1.2 Export database ke CSV

Database pada PHPMyAdmin ini juga dapat di export ke berbagai format.

Contohnya export ke format CSV.

1. Buka table yang ingin di export

🍌 localhost / 127.0.0.1 / sistem_p 🗙	< +											
(←) → C' @	Iocalhost/phpmyadmin/impo	t.php#PMAU	JRL-15:sql.php	?db=sistem	F 90%	♥ ☆	Q. Search		]	<u></u>	III\ 🗉	) ≡
phpMuAdmin	🗕 👘 Server: 127.0.0.1 -> 🕤 Database: si:	tem_permints	ian_barang = 🎆	Table: bon_permin	taan							~ ^
<u>2600</u>	🔄 Browse 📝 Structure 🗐 SQ	🧠 Searc	ch 👫 Insert	Export	import a	Privileges 🥜 O	perations 💿 Trac	king 36	Triggers			
Recent Favorites												
eperformance_schema ^	Showing rows 0 - 3 (4 total, Query too	k 0.0008 seco	nds.)									
+ permintaanbarang												-
	SELECT * FROM 'bon_permintaan'											
sistem												
sistem_permintaanbarar								[Edit][Exp	nain SQL JI Creat	e PHP Coo	e 11 Keu	esnj
Halle barang	Number of rows: 25 🗸 Filter	rows: Search	n this table									
bon_permintaan	Cod hu kour Mana	100										
iabatan	Solt by key. None	×.										
+ Relompok	+ Options						(					
nomor_akun	← I → ▼ ID_BON	NO_AKUN	ID_PEGAWAI	KODE_BARANG	IGL_MINIA	JUMLAH_BARANG	KETERANGAN	STATUS				
egawai	Edit 3 Copy ODelete bon1	na001	p01	kd002	2002-05-18	5	pembasmian gulma	selesai				
Sistem nermintaan harr	Copy Oplete Don2	na001	p01	Kd003	2003-05-18	10	pembasmian gulma	selesar				
New	Edit 3 Copy OPlete bon3	na002	p03	kd004	2004-05-18	12	transplanting	selesai				
🕂 🖉 barang	Edit 🙀 Copy 🥥 Delete bon4	na002	p03	kd005	2005-05-18	8	transplanting	selesai				
+-> bon_permintaan	Check All With selected:	🥜 Change	😂 Delete 📗	Export								- 1
+ ja kelomnok	Number of rous: 25 Filter	rours: Const	this table									
+UP nomor akun	Piler	Tows. Search	I this table									
egawai	Query results operations											
🖶 🦗 users												
🛞 🗐 siswa	Print view A Print view (with full te:	ts) 🔛 Export	🚮 Display char	t 💽 Create view								
€ si_permintaanbarang												
(n) test	Bookmark this SQL query											
webaum v	and the second s											~

## 2. Pilih export

ka localhost / 127.0.0.1 / sistem_pr ×	+		٥		<
(←) → ℃ @	🛈 localhost/phpmyadmin/import.php#PMAURL-16:tbl_export.php?db=siste 🛛 🧐 🗰 🤜 🛧 🤤 🗘	⊻	111\ 0	D :	=
php <mark>MyAdmin</mark>	- MSGroce 122/00.3 = Dictolscop.ocfom.p.scrimitizen_biornog - Moldo bon_permitizen - Browse 🔗 Structure 🔐 SQL 🔍 Search 📴 Insert 🖶 Export 🖶 Insert August 200 Tracking 20				>1
performance_schema     permintaanbarang     +phpmyadmin	Exporting rows from "bon_permintaan" table				
🖶 sipb	Export Method:				1
scient New Starag Stara	Ouck- display only the minimal options     Ouckom - display all possible options  Format:  Sol.				
sistem_permintan_bari 	bs-sistem, permintaan, barang&table=bon, permintaan&token=423e4914c2118d55e90ca219a17436d0&single, table=true			1	

## 3. Pilih format, lalu GO

ka localhost / 127.0.0.1 / sistem_p	+		6		
(←) → ♂ @	🛈 localhost/phpmyadmin/import.php#PMAURL-16:tbl_export.php?db=sisto 🛛 🧐 🗠 🗣 🛇	⊻		Ð	Ξ
phpMyAdmin	r Structure 127.00.1 Databases sistem perminitaan bearing s Table bon perminitaan       Browse     Structure     Sol     Search     Hesert     Export     Import     Privileges     Poprations     Tracking     Triggers				>1
performance_schema     permintaanbarang     pphpmyadmin	Exporting rows from "bon_permintaan" table				
sipt sistem sistem sistempermintaanbarar barang sigt barang	Export Method:				
kelompok nomor_akun kelompok pomor_akun kelop pegawai	SQL V CodeCentration CSY for Sector				
sistem_permintaan_bar( 	Solv Holdoor Joon LaTeX MedaViki Tale OperDocument Spreadheet OperDocument Text POF POF PPP aray SQL				1
Siswa     Si_ermintaanbarang     etest     webauth	Tecyl text XX4. YAML				

4. Akan muncul jendela berikut, klik OK

Opening bon_permin	ntaan.csv	$\times$
You have chosen to	open:	
bon_permint which is: Mice from: http://l What should Firefo	<b>aan.csv</b> rosoft Excel Comma Separated Values File (300 bytes) ocalhost x do with this file?	
● <u>Open with</u> ○ <u>S</u> ave File □ Do this <u>a</u> uto	Microsoft Excel (default) ~	
4.1	OK Cancel	

5. Akan tampil hasil dari export yang berupa file excel

